

Clean Version of the Amended Claims

EXPERT SYSTEM AND METHOD

Applicant: Par Lindh et al.

Serial No.: 09/748,791

RECEIVED

DEC - 6 2002

TECHNOLOGY CENTER R3700



Please replace claims 1, 15 and 17 with their corresponding claims, as amended, below:

sub
C1

1. (Once Amended) A method, comprising:
receiving a first data value from a pulse generator having at least one predetermined acceptable pulse generator setting;
executing one or more algorithms, where the one or more algorithms use the first data value;
calculating at least one suggested pulse generator setting from the one or more algorithms based on the first data value; and
displaying the one or more suggested pulse generator settings, wherein the at least one suggested pulse generator setting is a subset of a set of predetermined acceptable pulse generator settings.

sub
2C1

15. (Once Amended) A medical device programmer, comprising:
a data input to receive data relating to a set of predetermined acceptable medical device pulse generator settings;
control circuitry coupled to execute one or more algorithms that use data from the data input to calculate a subset of at least one suggested pulse generator setting from the set of predetermined acceptable pulse generator settings; and
a display screen to display the subset of at least one suggested pulse generator setting.

sub
C1
B3
17. (Once Amended) The medical device programmer of claim 16, wherein the control circuitry includes a receiver/transmitter and a ventricular chamber selector coupled to the data input and the receiver/transmitter, wherein the receiver/transmitter receives intrinsic intracardia electrograms of a left and right ventricle and the ventricular chamber selector determines the difference between R_L and R_R , where R_L is a time at which a depolarization in the left ventricle occurred and R_R is a time at which the depolarization in a right ventricle occurred, and suggests one or more ventricular chambers in which to provide pacing pulses based on the duration interval of the QRS complex and the difference between R_L and R_R .
